Kema d.o.o.,

Puconci 393, 9201 Puconci, Slovenija T: +386 (0)2 545 95 00 | F: +386 (0)2 545 95 10 I: www.kema.si | E: info@kema.si

Declaration of Performance

Kemafin Electro Gypsum

Number of Declaration of Performance:

01 P5001 Kemafin Electro Gypsum

1. Unique identification code of the product-type:

P5001 Kemafin Electro Gypsum

2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):

P5001 Kemafin Electro Gypsum

3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Dry mixture of finely grounded alabaster gypsum and quartz sand for mounting and fixing electrical installations, filling holes and repairing damaged walls. For indoor use.

Industrial prepared dry mixture with ≥ 50% gypsum (B1), binding time > 10 minut (10) and compressive strenght > 17 N/mm² (17).

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):

Kema d.o.o. Puconci 393 9201 Puconci, Slovenia

- 5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):
- 6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

System 4

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:

EN 13279-1:2008, Research and testing laboratory KEMA d.o.o.

(name and identification number of the notified body, if relevant)

performed initial type test

under system

4

(description of the third party tasks as set out in Annex V)

and issued Product Type Examination Report No. PTP-13/134

(certificate of constancy of performance, certificate of conformity of the factory production control, test/calculation reports – as relevant)

8. In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued: -

(name and identification number of the Technical Assessment Body, if relevant)



Kema d.o.o.,

Puconci 393, 9201 Puconci, Slovenija T: +386 (0)2 545 95 00 | F: +386 (0)2 545 95 10 I: www.kema.si | E: info@kema.si

issued

(reference number of the European Technical Assessment)

on the basis of -

(reference number of the European Assessment Document)

performed

under system

(description of the third party tasks as set out in Annex V)

and issued

(certificate of constancy of performance, certificate of conformity of the factory production control, test/calculation reports – as relevant)

9. Declared performance:

Essential characteristics	Performance	Harmonized technical specification
Class	B1/10/17	EN 13279-1:2008
Reaction to fire	A1	EN 13501-1
Sound insulation	N.A.	EN ISO 140-3 EN ISO 717-1
Thermal conductivity	N.A	EN ISO 6946:2007, 6.1
Dangerous substances	Complies	See material safety data sheet (MSDS)

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by: Chief of department of development and quality:

Stanko Pola<mark>jner u</mark>niv.dipl.inž.met. Puconci, 01.09.2<mark>015</mark>

KEMA Puconci d.q.o.