Printing date 19.10.2016

Revision: 19.10.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking
· 1.1 Product identifier
 Trade name: <u>KEMAPOX GRUND 2000 B</u> 1.2 Relevant identified uses of the substance or mixture and uses advised against
No further relevant information available. • Application of the substance / the mixture Construction chemicals

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: KEMA d.o.o. Puconci 393 9201 Puconci Slovenija

• Further information obtainable from: R&D DEPARTMENT

• 1.4 Emergency telephone number: +386 (0)2 545 95 00

SECTION 2: Hazards identification · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. GHS07 Acute Tox. 4 H302 Harmful if swallowed. H312 Harmful in contact with skin. Acute Tox. 4 Acute Tox. 4 H332 Harmful if inhaled. Skin Sens. 1 H317 May cause an allergic skin reaction. Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. · Storage: Well-closed original packaging · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling: Benzyl Alcohol 3-aminomethyl-3,5,5-trimethylcyclohexylamine Salicylic acid

(Contd. on page 2)

EU

Printing date 19.10.2016

Revision: 19.10.2016

Trade name: KEMAPOX GRUND 2000 B

	(Contd. of page 1)
· Hazard statments	
H302+H312+H332	2 Harmful if swallowed, in contact with skin or if inhaled.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.
· Precautionary state	ements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P303+P361+P353	<i>IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.</i>
P305+P351+P338	<i>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</i>
P310	Immediately call a POISON CENTER/doctor.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· 2.3 Other hazards	

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

CAS: 100-51-6	Benzyl Alcohol	25-50%
EINECS: 202-859-9 Index number: 603-057-00-5	() Acute Tox. 4, H302; Acute Tox. 4, H332; Eye Irrit. 2, H319	
CAS: 2855-13-2	3-aminomethyl-3,5,5-trimethylcyclohexylamine	40-75%
EINECS: 220-666-8 Index number: 612-067-00-9	 Skin Corr. 1B, H314 Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317 Aquatic Chronic 3, H412 	
CAS: 69-72-7 EINECS: 200-712-3	Salicylic acid	< 5%
	 Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335 	

(Contd. on page 3)

Printing date 19.10.2016

Revision: 19.10.2016

Trade name: KEMAPOX GRUND 2000 B

(Contd. of page 2)

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:
- Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · 5.3 Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures	
Mount respiratory protective device.	
Wear protective equipment. Keep unprotected persons away.	
· 6.2 Environmental precautions:	
Do not allow product to reach sewage system or any water course.	
Inform respective authorities in case of seepage into water course or sewage system.	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
· 6.3 Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralising agent.	
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
· 6.4 Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
	EU

(Contd. on page 4)

Printing date 19.10.2016

Revision: 19.10.2016

Trade name: KEMAPOX GRUND 2000 B

(Contd. of page 3)

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

[–] EU

Printing date 19.10.2016

Revision: 19.10.2016

(Contd. of page 4)

Trade name: KEMAPOX GRUND 2000 B

• Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

General Information Appearance:		
Form:	Liquid	
Colour:	According to product specification	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value at 20 °C:	10	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	>200 °C	
Flash point:	>100 °C	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	435 °C	
Decomposition temperature:	Not determined.	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	1,3 Vol %	
Upper:	13,0 Vol %	
Vapour pressure at 20 °C:	0,1 hPa	
Density at 23 °C:	1,008 g/cm ³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient (n-octanol/wate	e r): Not determined.	
Viscosity:		
Dynamic at 23 •C:	360 mPas	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:		
VOC (EC)	305 g/L	
Solids content:	69,5 %	

EU

Printing date 19.10.2016

Revision: 19.10.2016

(Contd. of page 5)

Trade name: KEMAPOX GRUND 2000 B

• 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity

Harmful if swallowed, in contact with skin or if inhaled.

· LD/LC50 values relevant for classification:

ATE (Acu	te Toxicity	Estimates)
Oral	LD50	752 mg/kg
Dermal Inhalative	LD50	1571 mg/kg
Inhalative	LC50/4 h	27,5 mg/l

100-51-6 Benzyl Alcohol

	-	
Oral	LD50	1230 mg/kg (Rat)
Dermal	LD50	2000 mg/kg (Rabbit)
Inhalative	LC50/4 h	11 mg/l (ATE)

2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine

Oral L	LD50	500 mg/kg (ATE)
Dermal L	LD50	1100 mg/kg (ATE)

· Primary irritant effect:

- · Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- · Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.

• *Reproductive toxicity Based on available data, the classification criteria are not met.*

- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 7)

⁻ EU

Printing date 19.10.2016

Revision: 19.10.2016

Trade name: KEMAPOX GRUND 2000 B

· Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

100-51-6 Benzyl Alcohol

EC50 55 mg/L (Daphnia magna) (24h)

LC50 10 mg/L (Lepomis macrochirus) (96h)

· 12.2 Persistence and degradability No further relevant information available.

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised. Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN-Number		
· ADR,RID,ADN, IMDG, IATA	UN2289	
· 14.2 UN proper shipping name		
· IMDG, IATA	ISOPHORONEDIAMINE	

(Contd. of page 6)

Printing date 19.10.2016

Revision: 19.10.2016

Trade name: KEMAPOX GRUND 2000 B

	(Contd. of pag
· 14.3 Transport hazard class(es)	
ADR/RID/ADN	
V	
· Class	8 (C7) Corrosive substances.
· Label	8
· IMDG, IATA	
J. De	
8	
· Class	8 Corrosive substances.
· Label	8
· 14.4 Packing group	
· ADR,RID,ADN, IMDG, IATA	III
· 14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Corrosive substances.
Danger code (Kemler):	80
• EMS Number:	<i>F-A,S-B</i>
· Stowage Category	A
• 14.7 Transport in bulk according to Anno	ar II of
Marpol and the IBC Code	Not applicable.
	noi applicable.
• Transport/Additional information:	
· ADR/RID/ADN	
· Limited quantities (LQ)	5L
\cdot Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
The second se	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
• Tunnel restriction code	<i>E</i>
·IMDG	
· Limited quantities (LQ)	5L
\cdot Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 2289 ISOPHORONEDIAMINE, 8, III

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. on page 9)

⁻ EU -

Printing date 19.10.2016

Revision: 19.10.2016

(Contd. of page 8)

Trade name: KEMAPOX GRUND 2000 B

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H412 Harmful to aquatic life with long lasting effects.

· Department issuing SDS: R&D DEPARTMENT

• Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3