Printing date 17.10.2016

Revision: 17.07.2017

1111118 44110 17	
SECTION	N 1: Identification of the substance/mixture and of the company/undertaking
· 1.1 Product	identifier
• 1.2 Relevan No further r	e: <u>KEMAMIX SPX</u> t identified uses of the substance or mixture and uses advised against elevant information available. of the substance / the mixture Construction chemicals
 1.3 Details of Manufactur KEMA d.o.o Puconci 393 9201 Pucon Slovenija 	
	ormation obtainable from: R&D DEPARTMENT ncy telephone number: +386 (0)2 545 95 00
SECTION	V 2: Hazards identification
	cation of the substance or mixture on according to Regulation (EC) No 1272/2008
- √ ≥ G	HS05 corrosion
Eye Dam. 1	H318 Causes serious eye damage.
	2HS07
Skin Irrit. 2	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation. STOT SE 3 H335 May cause respiratory irritation.
	ccording to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation.
GHS05	GHS07
H315 Cause	Danger · Hazard statements es skin irritation.
	es serious eye damage. Pause an allergic skin reaction.
	cause the unreget skill redection.
•	iry statements
P101	If medical advice is needed, have product container or label at hand.
P102 P103	Keep out of reach of children. Bead label before we
P103 P261	Read label before use. Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2) EU

Printing date 17.10.2016

Revision: 17.07.2017

(Contd. of maga 1)

Trade name: KEMAMIX SPX

	(Contd. of page 1)
P305+P351+P33	88 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
. 2 3 Other hazard	

· 2.3 Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

	Cement, portland, chemicals	25-50%
EINECS: 266-043-4	4 📀 Eye Dam. 1, H318	1
	Skin Irrit. 2, H315; Skin Sens. 1A, H317; STOT SE 3, H335	
 Additional informa	tion. For the wording of the listed hazand physics refer to gestion 16	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Use neutralising agent.

(Contd. on page 3)

Printing date 17.10.2016

Revision: 17.07.2017

(Contd. of page 2)

Trade name: KEMAMIX SPX

Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
6.4 Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Thorough dedusting. Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store in dry conditions.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin.

Avoia contact with the eyes and skill

• Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)

Printing date 17.10.2016

Revision: 17.07.2017

(Contd. of page 3)

Trade name: KEMAMIX SPX

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical an	nd chemical properties	
· General Information		
· Appearance:		
Form:	Powder	
Colour:	According to product specification	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value at 20 •C:	11,4	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
· Flash point:	>100 °C	
· Flammability (solid, gaseous):	Not determined.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not applicable.	
· Density at 20 •C:	1,56 g/cm ³	
· Relative density	Not determined.	
· Vapour density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Soluble.	
· Partition coefficient (n-octanol/wate	r): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
	(0	Contd. on page

FU

Printing date 17.10.2016

Revision: 17.07.2017

Trade name: KEMAMIX SPX

		(Contd. of page 4)
Kinematic:	Not applicable.	
• Solvent content: Organic solvents: VOC (EC)	0,0 % 0,00 %	
Solids content: • 9.2 Other information	100,0 % No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- \cdot Aquatic toxicity: No further relevant information available.
- \cdot 12.2 Persistence and degradability No further relevant information available.
- \cdot 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 6)

EU

Printing date 17.10.2016

Revision: 17.07.2017

Trade name: KEMAMIX SPX

(Contd. of page 5)

Must not reach sewage water or drainage ditch undiluted or unneutralised. Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· 12.5 Results of PBT and vPvB assessment

• *PBT:* Not applicable.

• **vPvB:** Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number · ADR,RID,ADN, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR,RID,ADN, IMDG, IATA	
· Class · Label	Void
· ADN/R Class:	Void
· 14.4 Packing group · ADR,RID,ADN, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Anne. Marpol and the IBC Code	x II of Not applicable.
· UN ''Model Regulation'':	Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 7)

EI

Printing date 17.10.2016

Revision: 17.07.2017

Trade name: KEMAMIX SPX

(Contd. of page 6)

SEC.	TION 16: Other information
	nformation is based on our present knowledge. However, this shall not constitute a guarantee for an ic product features and shall not establish a legally valid contractual relationship.
Releve	ant phrases
	Causes skin irritation.
H317	May cause an allergic skin reaction.
	Causes serious eye damage.
	May cause respiratory irritation.
11555	may cause respiratory arrantition.
Depar	rtment issuing SDS: R&D DEPARTMENT
-	viations and acronyms:
	Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation
	ge of Dangerous Goods by Road)
IMDG:	International Maritime Code for Dangerous Goods
	International Air Transport Association
	Globally Harmonised System of Classification and Labelling of Chemicals
	S: European Inventory of Existing Commercial Chemical Substances
	S: European List of Notified Chemical Substances
	<i>Themical Abstracts Service (division of the American Chemical Society)</i>
	Volatile Organic Compounds (USA, EU) Persistent, Bioaccumulative and Toxic
	very Persistent and very Bioaccumulative
	rit. 2: Skin corrosion/irritation – Category 2
	m. 1: Serious eye damage/eye irritation – Category 1
	s. 1: Skin sensitisation – Category I
	ns. 1A: Skin sensitisation – Category 1A
STOT S	E 3: Specific target organ toxicity (single exposure) – Category 3

Other informations: When cement reacts with water (for instance when making concrete or mortar) or becomes damp, a strong alkaline solution is produced. Due to its high alkalinity, damp cement may cause skin and eye irritation or burns. Because it contains soluble chromium (VI), it may cause an allergic reaction in individuals. A reducing agent for hexavalent chromium (Cr (VI)) under the limit of 0.0002% is added to cement if necessary.