Printing date 05.01.2017 Revision: 25.07.2017

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- . 1.1 Product identifier
- · Trade name: KEMAPOX SL 5100 A
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Construction chemicals
- · 1.3 Details of the supplier of the safety data sheet
- . Manufacturer/Supplier:

KEMA d.o.o.

Puconci 393

9201 Puconci

Slovenija

- · Further information obtainable from: R&D DEPARTMENT
- . **1.4 Emergency telephone number:** +386 (0)2 545 95 00

#### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS07

GHS09

- · Signal word Warning
- · Hazard-determining components of labelling:

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight  $\leq$  700) formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol oxirane, mono[(C12-14-alkyloxy)methyl] derivs

. Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 2)

Printing date 05.01.2017 Revision: 25.07.2017

Trade name: KEMAPOX SL 5100 A

(Contd. of page 1)

#### · Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

*P273* Avoid release to the environment.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### . 2.3 Other hazards

· Results of PBT and vPvB assessment

*PBT*: Not applicable.*vPvB*: Not applicable.

#### SECTION 3: Composition/information on ingredients

- . 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

| · Dangerous components:  |  |         |
|--|--|---------|
| CAS: 25068-38-6<br>NLP: 500-033-5<br>Index number: 603-074-00-8    | reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) Aquatic Chronic 2, H411 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 | 25-50%  |
| CAS: 9003-36-5   | formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol Aquatic Chronic 2, H411 Skin Irrit. 2, H315; Skin Sens. 1, H317                                   | 2,5-10% |
| CAS: 68609-97-2<br>EINECS: 271-846-8<br>Index number: 603-103-00-4 | oxirane, mono[(C12-14-alkyloxy)methyl] derivs<br>Skin Irrit. 2, H315; Skin Sens. 1, H317   | 2,5-10% |

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- . After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- . After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 05.01.2017 Revision: 25.07.2017

Trade name: KEMAPOX SL 5100 A

(Contd. of page 2)

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### SECTION 5: Firefighting measures

- . 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### SECTION 6: Accidental release measures

- . 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- . 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### SECTION 7: Handling and storage

. 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- . 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)

Printing date 05.01.2017 Revision: 25.07.2017

Trade name: KEMAPOX SL 5100 A

(Contd. of page 3)

- · Additional information: The lists valid during the making were used as basis.
- . 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

#### . Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



#### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

. Eye protection:



Tightly sealed goggles

#### SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- . General Information
- . Appearance:

Form: Viscous Liquid

*Colour:* According to product specification

Odour: Characteristic
 Odour threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: >200 °C

(Contd. on page 5)

Printing date 05.01.2017 Revision: 25.07.2017

Trade name: KEMAPOX SL 5100 A

|                                       |   | (Contd. of page |
|---------------------------------------|---|-----------------|
| . Flash point:                        | 118 °C  |                 |
| . Flammability (solid, gaseous):      | Not applicable.                               |                 |
| . Ignition temperature:               |   |                 |
| Decomposition temperature:            | Not determined.                               |                 |
| . Self-igniting:                      | Product is not selfigniting.                  |                 |
| . Danger of explosion:                | Product does not present an explosion hazard. |                 |
| · Explosion limits:                   |   |                 |
| Lower:                                | Not determined.                               |                 |
| Upper:                                | Not determined.                               |                 |
| · Vapour pressure:                    | Not determined.                               |                 |
| · Density at 25 °C:                   | 1,12 g/cm³                                    |                 |
| · Relative density                    | Not determined.                               |                 |
| · Vapour density                      | Not determined.                               |                 |
| · Evaporation rate                    | Not determined.                               |                 |
| · Solubility in / Miscibility with    |   |                 |
| water:                                | Not miscible or difficult to mix.             |                 |
| · Partition coefficient (n-octanol/wa | <b>ter):</b> Not determined.                  |                 |
| · Viscosity:                          |   |                 |
| Dynamic:                              | Not determined.                               |                 |
| Kinematic at 25 °C:                   | 613 s   |                 |
| · Solvent content:                    |   |                 |
| Organic solvents:                     | 0,0 %   |                 |
| VOC (EC)                              | 0,00 %  |                 |
| Solids content:                       | 99,5 %  |                 |
| · 9.2 Other information               | No further relevant information available.    |                 |

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- . 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

- . 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

(Contd. of page 5)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.01.2017 Revision: 25.07.2017

Trade name: KEMAPOX SL 5100 A

· Primary irritant effect:

· Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

. Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- . 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- . Remark: Toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- . 12.5 Results of PBT and vPvB assessment
- . **PBT**: Not applicable.
- . vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

#### SECTION 13: Disposal considerations

- . 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- . Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

FI

Printing date 05.01.2017 Revision: 25.07.2017

Trade name: KEMAPOX SL 5100 A

(Contd. of page 6)

| SECTION 14: Transport information                                      |   |
|--|---|
| · 14.1 UN-Number<br>· ADR,RID,ADN, IMDG, IATA                          | UN3082  |
| · 14.2 UN proper shipping name<br>· IMDG<br>· IATA                     | ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (reaction product: bisphenol-A (epichlorhydrin) epoxy resin (number average molecula weight ≤ 700)), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (reaction product: bisphenol-A (epichlorhydrin) epoxy resin (number average molecula weight ≤ 700)) |
| . 14.3 Transport hazard class(es)                                      |   |
| · ADR/RID/ADN  |   |
|  |   |
| · Class<br>· Label   | 9 (M6) Miscellaneous dangerous substances and articles.<br>9  |
| · IMDG, IATA   |   |
|  |   |
| · Class<br>· Label   | 9 Miscellaneous dangerous substances and articles.<br>9   |
| . 14.4 Packing group<br>. ADR,RID,ADN, IMDG, IATA                      | III   |
| . 14.5 Environmental hazards:<br>. Marine pollutant:                   | Product contains environmentally hazardous substances reaction product: bisphenol-A-(epichlorhydrin) epoxy resist (number average molecular weight $\leq$ 700) Symbol (fish and tree)   |
| Special marking (ADR/RID/ADN): Special marking (IATA):                 | Symbol (fish and tree) Symbol (fish and tree)   |
| · 14.6 Special precautions for user                                    | Warning: Miscellaneous dangerous substances and articles.   |
| Danger code (Kemler): EMS Number:                                      | 90<br>F-A,S-F   |
| Stowage Category   | A A   |
| · 14.7 Transport in bulk according to Anne.<br>Marpol and the IBC Code | <b>x II of</b><br>Not applicable.   |

Printing date 05.01.2017 Revision: 25.07.2017

Trade name: KEMAPOX SL 5100 A

|                                   | (Contd. of page                                   |
|-----------------------------------|---|
| Transport/Additional information: |   |
| . ADR/RID/ADN                     |   |
| · Limited quantities (LQ)         | 5L  |
| Excepted quantities (EQ)          | Code: E1  |
|                                   | Maximum net quantity per inner packaging: 30 ml   |
|                                   | Maximum net quantity per outer packaging: 1000 ml |
| Transport category                | 3   |
| Tunnel restriction code           | E   |
| · IMDG                            |   |
| Limited quantities (LQ)           | 5L  |
| Excepted quantities (EQ)          | Code: E1  |
|                                   | Maximum net quantity per inner packaging: 30 ml   |
|                                   | Maximum net quantity per outer packaging: 1000 ml |
| · UN ''Model Regulation'':        | UN 3082 ENVIRONMENTALLY HAZARDOU                  |
|                                   | SUBSTANCE, LIQUID, N.O.S. (REACTION PRODUCT       |
|                                   | BISPHENOL-A-(EPICHLORHYDRIN) EPOXY RESI           |
|                                   | (NUMBER AVERAGE MOLECULAR WEIGHT ≤ 700)), 9       |
|                                   | III   |

### SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- . Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E2 Hazardous to the Aquatic Environment
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### . Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

- . Department issuing SDS: R&D DEPARTMENT
- · Abbreviations and acronyms:

ADR: Accord e uropéen sur le transport des marchandises dan gereuses par Route (Europe an Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 9)

Printing date 05.01.2017 Revision: 25.07.2017

Trade name: KEMAPOX SL 5100 A

(Contd. of page 8)

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2