
Printing date 17.10.2016

Revision: 17.10.2016



(Contd. on page 2)

- EU

Printing date 17.10.2016

Revision: 17.10.2016

Trade name: KEMAPOX ARTCOLOR B

	(Contd. of page 1)
H318 Causes	s serious eye damage.
Н317 Мау са	use an allergic skin reaction.
H411 Toxic t	to aquatic life with long lasting effects.
· Precautional	ry statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351-	+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· 2.3 Other ha	zards
· Results of Pl	BT and vPvB assessment

· **PBT:** Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

	Fatty acids, C18-unsaturated., dimers, oligomeric reaction products	
	with fatty acids, C16-18 and C18-unsatd., branched and linear and tetraethylenepentamine	
	 Aquatic Chronic 2, H411 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1A, H317 	
CAS: 112-57-2	3,6,9-triazaundecamethylenediamine	<i>≤2,5%</i>
EINECS: 203-986-2	🔗 Skin Corr. 1B, H314	
Index number: 612-060-00-0		
	🕐 Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

(Contd. on page 3)

Printing date 17.10.2016

Revision: 17.10.2016

Trade name: KEMAPOX ARTCOLOR B

(Contd. of page 2)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.
 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent. Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation. • **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.

(Contd. on page 4)

EU

Printing date 17.10.2016

Revision: 17.10.2016

Trade name: KEMAPOX ARTCOLOR B

Immediately remove all soiled and c	(Contd. of page 3)
Wash hands before breaks and at the Avoid contact with the skin.	e end of work.
Avoid contact with the eyes and skin	
Respiratory protection:	
	lution use respiratory filter device. In case of intensive or longer exposure use
self-contained respiratory protective Protection of hands:	e device.
Trotection of nanas.	
Protective gloves	
	neable and resistant to the product/ the substance/ the preparation. ation to the glove material can be given for the product/ the preparation/ the
chemical mixture.	anon to the glove material can be given for the product the preparation, the
	onsideration of the penetration times, rates of diffusion and the degradation
Material of gloves	door not only domand on the material but also on further marks of quality and
	does not only depend on the material, but also on further marks of quality and acturer. As the product is a preparation of several substances, the resistance of
the glove material can not be calculated	ated in advance and has therefore to be checked prior to the application.
Penetration time of glove material	
The exact break through time has a observed.	to be found out by the manufacturer of the protective gloves and has to be
Eye protection:	
Tightly sealed goggles	
	pemical properties
Tightly sealed goggles SECTION 9: Physical and ch 9.1 Information on basic physical a	
Tightly sealed goggles SECTION 9: Physical and ch 9.1 Information on basic physical a General Information	
Tightly sealed goggles SECTION 9: Physical and ch 9.1 Information on basic physical a General Information Appearance:	nd chemical properties
Tightly sealed goggles SECTION 9: Physical and ch 9.1 Information on basic physical a General Information Appearance: Form:	and chemical properties
Tightly sealed goggles SECTION 9: Physical and ch 9.1 Information on basic physical a General Information Appearance: Form: Colour:	nd chemical properties
Tightly sealed goggles SECTION 9: Physical and ch 9.1 Information on basic physical a General Information Appearance: Form: Colour: Odour:	<i>Ind chemical properties</i> <i>Liquid</i> <i>According to product specification</i>
Tightly sealed goggles SECTION 9: Physical and ch 9.1 Information on basic physical a General Information Appearance: Form: Colour: Odour: Odour threshold:	and chemical properties Liquid According to product specification Characteristic
Tightly sealed goggles Tightly sealed goggles SECTION 9: Physical and ch 9.1 Information on basic physical a General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition	and chemical properties Liquid According to product specification Characteristic Not determined. Not determined.
Tightly sealed goggles Tightly sealed goggles SECTION 9: Physical and ch 9.1 Information on basic physical a General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: pH-value: Change in condition Melting point/Melting range:	and chemical properties Liquid According to product specification Characteristic Not determined. Not determined. Undetermined.
Tightly sealed goggles Tightly sealed goggles SECTION 9: Physical and ch 9.1 Information on basic physical a General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition	and chemical properties Liquid According to product specification Characteristic Not determined. Not determined.
Tightly sealed goggles Tightly sealed goggles SECTION 9: Physical and ch 9.1 Information on basic physical a General Information Appearance: Form: Colour: Odour: Odour: Odour: PH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range:	and chemical properties Liquid According to product specification Characteristic Not determined. Not determined. Undetermined.
Tightly sealed goggles Tightly sealed goggles SECTION 9: Physical and ch 9.1 Information on basic physical a General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point:	and chemical properties Liquid According to product specification Characteristic Not determined. Not determined. Undetermined. Undetermined.
Tightly sealed goggles SECTION 9: Physical and ch 9.1 Information on basic physical a General Information Appearance: Form: Colour: Odour: Odour: Odour: Odour: Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous):	Ind chemical properties Liquid According to product specification Characteristic Not determined. Not determined. Undetermined. Undetermined. 130 °C
Tightly sealed goggles Tightly sealed goggles SECTION 9: Physical and ch 9.1 Information on basic physical a General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: pH-value: Change in condition Melting point/Melting range:	Ind chemical properties Liquid According to product specification Characteristic Not determined. Not determined. Undetermined. Undetermined. 130 °C
Tightly sealed goggles SECTION 9: Physical and ch 9.1 Information on basic physical a General Information Appearance: Form: Colour: Odour: Odour: Odour: Odour: Odour: PH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous): Ignition temperature:	Ind chemical properties Liquid According to product specification Characteristic Not determined. Not determined. Undetermined. 130 °C Not applicable.

Printing date 17.10.2016

Revision: 17.10.2016

Trade name: KEMAPOX ARTCOLOR B

		(Contd. of page
• Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
· Density at 20 •C:	$0,98 \ g/cm^3$	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/v	water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0,0 %	
VÕC (EC)	0,00 %	
• 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 25000 mg/kg

Dermal LD50 33000 mg/kg (Rabbit)

112-57-2 3,6,9-triazaundecamethylenediamine

Oral LD50 500 mg/kg (ATE)

Dermal LD50 660 mg/kg (Rabbit)

· Primary irritant effect:

· Skin corrosion/irritation

Causes skin irritation.

(Contd. on page 6)

Printing date 17.10.2016

Revision: 17.10.2016

(Contd. of page 5)

Trade name: KEMAPOX ARTCOLOR B

 \cdot Serious eye damage/irritation

Causes serious eye damage.

· Respiratory or skin sensitisation

May cause an allergic skin reaction.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

 \cdot Germ cell mutagenicity Based on available data, the classification criteria are not met.

 \cdot Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

• 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

· Ecotoxical effects:

· Remark: Toxic for fish

· Additional ecological information:

• General notes: Must not reach sewage water or drainage ditch undiluted or unneutralised. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms

· 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· **vPvB:** Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number · ADR,RID,ADN, IMDG, IATA

UN3082

· 14.2 UN proper shipping name

(Contd. on page 7)

EU —

EU

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.10.2016

Revision: 17.10.2016

de name: KEMAPOX ARTCOLOR B		
	(Contd. of page	
· IMDG · IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID N.O.S. (Fatty acids, C18-unsaturated., dimers, oligomeri reaction products with fatty acids, C16-18 and C18-unsatd branched and linear and tetraethylenepentamine TETRAETHYLENEPENTAMINE), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID N.O.S. (Fatty acids, C18-unsaturated., dimers, oligomeri reaction products with fatty acids, C16-18 and C18-unsatd branched and linear and tetraethylenepentamine TETRAETHYLENEPENTAMINE)	
· 14.3 Transport hazard class(es)		
· ADR/RID/ADN		
· Class	9 (M6) Miscellaneous dangerous substances and articles. 9	
· Label · IMDG, IATA	9	
· Class	9 Miscellaneous dangerous substances and articles.	
· Label	9	
· 14.4 Packing group · ADR,RID,ADN, IMDG, IATA	III	
• 14.5 Environmental hazards:	Product contains environmentally hazardous substances: Fatt acids, C18-unsaturated., dimers, oligomeric reaction product with fatty acids, C16-18 and C18-unsatd., branched and linea and tetraethylenepentamine	
· Marine pollutant: · Special marking (ADR/RID/ADN):	Symbol (fish and tree) Symbol (fish and tree)	
· Special marking (IATA):	Symbol (fish and tree)	
 14.6 Special precautions for user Danger code (Kemler): EMS Number: Segregation groups Stowage Category 	Warning: Miscellaneous dangerous substances and articles. 90 F-A,S-F Alkalis A	
• 14.7 Transport in bulk according to Annex II Marpol and the IBC Code	I of Not applicable.	
· Transport/Additional information:	11	
· ADR/RID/ADN · Limited quantities (LQ)	5L	
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	
· Transport category	3	
1 0 7	(Contd. on page	

Printing date 17.10.2016

Revision: 17.10.2016

Trade name: KEMAPOX ARTCOLOR B

	(Contd. of page
· Tunnel restriction code	E
· IMDG	
\cdot Limited quantities (LQ)	5L
\cdot Excepted quantities (\widetilde{EQ})	Code: El
1 1 2	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE
Ū	LIQUID, N.O.S. (FATTY ACIDS, C18-UNSATURATED
	DIMERS, OLIGOMERIC REACTION PRODUCTS WITH
	FATTY ACIDS, C16-18 AND C18-UNSATD., BRANCHE
	AND LINEAR AND TETRAETHYLENEPENTAMINE
	TETRAETHYLENEPENTAMINE), 9, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H411 Toxic to aquatic life with long lasting effects.

· Department issuing SDS: R&D DEPARTMENT

• Abbreviations and acronyms: ADR: Accord européen sur le transport des ma

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4

(Contd. on page 9)

Printing date 17.10.2016

Revision: 17.10.2016

Trade name: KEMAPOX ARTCOLOR B

(Contd. of page 8)

EU

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2