Printing date 17.10.2016

Revision: 17.07.2017

- · 1.1 Product identifier
- · Trade name: HIDROSTOP VARIO A
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Construction chemicals
- $\cdot$  1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: KEMA d.o.o. Puconci 393 9201 Puconci Slovenija

· Further information obtainable from: R&D DEPARTMENT

• 1.4 Emergency telephone number: +386 (0)2 545 95 00

# **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008

GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

GHS07

Skin Irrit. 2H315 Causes skin irritation.Skin Sens. 1AH317 May cause an allergic skin reaction.STOT SE 3H335 May cause respiratory irritation.• Storage: Well-closed original packaging

· 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. • Hazard pictograms



Signal word Danger
Hazard statements
H315 Causes skin irritation.
H318 Causes serious eye damage.
H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.
Precautionary statements
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read label before use.

(Contd. on page 2)

<sup>-</sup> EU

Printing date 17.10.2016

Revision: 17.07.2017

#### Trade name: <u>HIDROSTOP VARIO A</u>

	(Contd. of page 1)
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P305+P351+P338	B IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
$\cdot$ 2.3 Other hazards	

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· **vPvB:** Not applicable.

### **SECTION 3: Composition/information on ingredients**

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

#### · Dangerous components:

<b>v</b>		
CAS: 65997-15-1	Cement, portland, chemicals	25-50%
EINECS: 266-043-4		
	🚯 Skin Irrit. 2, H315; Skin Sens. 1A, H317; STOT SE 3, H335	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

• 5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

# **SECTION 6:** Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

(Contd. on page 3)

EU

Printing date 17.10.2016

Revision: 17.07.2017

(Contd. of page 2)

#### Trade name: <u>HIDROSTOP VARIO A</u>

Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
6.4 Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling Thorough dedusting. Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store in dry conditions.
- 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin.

Avoia contact with the eyes and skill

• Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)

Printing date 17.10.2016

Revision: 17.07.2017

(Contd. of page 3)

#### Trade name: HIDROSTOP VARIO A

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · Eye protection:



Tightly sealed goggles

# **SECTION 9: Physical and chemical properties**

•9.1 Information on basic physical an	d chemical properties
· General Information	
· Appearance:	
Form:	Powder
Colour:	According to product specification
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value at 20 °C:	11
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	>100 °C
· Flammability (solid, gaseous):	Not determined.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not applicable.
· Density at 20 •C:	1,00 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
water:	Soluble.
· Partition coefficient (n-octanol/water	r): Not determined.
· Viscosity:	
Dynamic:	Not applicable.
	(Contd. on page

EU

Printing date 17.10.2016

Revision: 17.07.2017

### Trade name: <u>HIDROSTOP VARIO A</u>

		(Contd. of page 4)
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	0,0 %	
VOC (EC)	0,00 %	
Solids content:	100,0 %	
• 9.2 Other information	No further relevant information available.	

### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

(Contd. on page 6)

Printing date 17.10.2016

Revision: 17.07.2017

#### Trade name: <u>HIDROSTOP VARIO A</u>

· 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

· 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport informati	
14.1 UN-Number ADR,RID,ADN, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR,RID,ADN, IMDG, IATA Class Label ADN/R Class:	Void - Void
14.4 Packing group ADR,RID,ADN, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Anne. Marpol and the IBC Code	<b>x II of</b> Not applicable.
UN "Model Regulation":	Void

#### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)

(Contd. of page 5)

EU

Printing date 17.10.2016

Revision: 17.07.2017

Trade name: HIDROSTOP VARIO A

Relevant phrases         H315 Causes skin irritation.         H317 May cause an allergic skin reaction.         H318 Causes serious eye damage.         H335 May cause respiratory irritation.         Department issuing SDS: R&D DEPARTMENT         Abbreviations and acronyms:         ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)         IMDG: International Maritime Code for Dangerous Goods         IATA: International Air Transport Association         GHS: Globally Harmonised System of Classification and Labelling of Chemicals         ELINCS: European Inventory of Existing Commercial Chemical Substances         ELINCS: European List of Notified Chemical Substances         CAS: Chemical Abstracts Service (division of the American Chemical Society)         VOC: Volatile Organic Compounds (USA, EU)         PBT: Persistent, Bioaccumulative and Toxic         vPvB: very Persistent and very Bioaccumulative         Skin Irrit. 2: Skin corrosion/irritation – Category 2         Eye Dam. 1: Serious eye damage/eye irritation – Category 1         Skin Sens. 1A: Skin sensitisation – Category 1A         Stort Sa: Specific target organ toxicity (single exposure) – Category 3		(Contd. of pag
<ul> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H318 Causes serious eye damage.</li> <li>H335 May cause respiratory irritation.</li> </ul> <b>Department issuing SDS: R&amp;D DEPARTMENT Abbreviations and acronyms:</b> ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods EINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPVP: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A	Rele	evant phrases
H318 Causes serious eye damage. H335 May cause respiratory irritation. <b>Department issuing SDS:</b> R&D DEPARTMENT <b>Abbreviations and acronyms:</b> ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internatio Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. IA: Skin sensitisation – Category IA	H31.	5 Causes skin irritation.
H318 Causes serious eye damage. H335 May cause respiratory irritation. <b>Department issuing SDS:</b> R&D DEPARTMENT <b>Abbreviations and acronyms:</b> ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internatio Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. IA: Skin sensitisation – Category IA	H31	7 May cause an allergic skin reaction.
H335 May cause respiratory irritation. Department issuing SDS: R&D DEPARTMENT Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A		
Department issuing SDS: R&D DEPARTMENT Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A		
Abbreviations and acronyms:ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the InternatioCarriage of Dangerous Goods by Road)IMDG: International Maritime Code for Dangerous GoodsIATA: International Air Transport AssociationGHS: Globally Harmonised System of Classification and Labelling of ChemicalsEINECS: European Inventory of Existing Commercial Chemical SubstancesELINCS: European List of Notified Chemical SubstancesCAS: Chemical Abstracts Service (division of the American Chemical Society)VOC: Volatile Organic Compounds (USA, EU)PBT: Persistent, BioaccumulativeSkin Irrit. 2: Skin corrosion/irritation – Category 2Eye Dam. 1: Serious eye damage/eye irritation – Category 1Skin Sens. 1A: Skin sensitisation – Category 1A	пээ.	5 May cause respiratory irrutation.
Abbreviations and acronyms:ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the InternatioCarriage of Dangerous Goods by Road)IMDG: International Maritime Code for Dangerous GoodsIATA: International Air Transport AssociationGHS: Globally Harmonised System of Classification and Labelling of ChemicalsEIINECS: European Inventory of Existing Commercial Chemical SubstancesELINCS: European List of Notified Chemical SubstancesCAS: Chemical Abstracts Service (division of the American Chemical Society)VOC: Volatile Organic Compounds (USA, EU)PBT: Persistent and very BioaccumulativeSkin Irrit. 2: Skin corrosion/irritation – Category 2Eye Dam. 1: Serious eye damage/eye irritation – Category 1Skin Sens. 1A: Skin sensitisation – Category 1A	Depe	artment issuing SDS: R&D DEPARTMENT
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A	-	0
Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A		•
IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A		
GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A		
EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A	IATA.	: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A	GHS:	Globally Harmonised System of Classification and Labelling of Chemicals
CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A	EINE	CCS: European Inventory of Existing Commercial Chemical Substances
VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A	ELIN	ICS: European List of Notified Chemical Substances
PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A	CAS:	Chemical Abstracts Service (division of the American Chemical Society)
vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A	VOC:	: Volatile Organic Compounds (USA, EU)
Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A	PBT:	Persistent, Bioaccumulative and Toxic
Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A	vPvB.	: very Persistent and very Bioaccumulative
Skin Sens. 1A: Skin sensitisation – Category 1A	Skin I	Irrit. 2: Skin corrosion/irritation – Category 2
0	Eye L	Dam. 1: Serious eye damage/eye irritation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	Skin S	Sens. 1A: Skin sensitisation – Category 1A
	STOT	ΓSE 3: Specific target organ toxicity (single exposure) – Category 3

*Other informations:* When cement reacts with water (for instance when making concrete or mortar) or becomes damp, a strong alkaline solution is produced. Due to its high alkalinity, damp cement may cause skin and eye irritation or burns. Because it contains soluble chromium (VI), it may cause an allergic reaction in individuals. A reducing agent for hexavalent chromium (Cr (VI)) under the limit of 0.0002% is added to cement if necessary.