Safety data sheet

according to 1907/2006/EC, Article 31		
Printing date 12.05.2017	Revision: 12.05.2017	
SECTION 1: Identification of the substance/mixture and of the com	pany/undertaking	
· 1.1 Product identifier	·	
 Trade name: <u>KEMAPOX CLEANER</u> 1.2 Relevant identified uses of the substance or mixture and uses advised agains No further relevant information available. Application of the substance / the mixture Construction chemicals 	at a start and a start	
 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: KEMA d.o.o. Puconci 393 9201 Puconci Slovenija 		
 Further information obtainable from: R&D DEPARTMENT 1.4 Emergency telephone number: +386 (0)2 545 95 00 		
SECTION 2: Hazards identification		
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 		
GHS02 flame		
Flam. Liq. 2 H225 Highly flammable liquid and vapour.		
GHS07		
Acute Tox. 4 H332 Harmful if inhaled.		
Skin Irrit. 2 H315 Causes skin irritation.		
Eye Irrit. 2 H319 Causes serious eye irritation.		
STOT SE 3 H336 May cause drowsiness or dizziness.		
 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms 		
GHS02 GHS07		
· Signal word Danger		
• Hazard-determining components of labelling: xylene		
Isopropyl Alcohol • Hazard statements		
H225 Highly flammable liquid and vapour.		
H332 Harmful if inhaled. H315 Causes skin irritation.		
11515 Causes skin irritation.	(Contd. on page 2)	
	- EU	

1.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.05.2017

Revision: 12.05.2017

(0, 1, 6

Trade name: KEMAPOX CLEANER

	(Contd. of page 1)
H319 Causes serio	us eye irritation.
H336 May cause di	owsiness or dizziness.
· Precautionary stat	ements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
. 2.3 Other hazards	
· Results of PBT an	d vPvB assessment
· PBT: Not applicab	le.

• **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

. 3.2 Chemical characterisation: Mixtures

. Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 1330-20-7	xylene	50-100%
EINECS: 215-535-7	🚸 Flam. Liq. 3, H226	
Index number: 601-022-00-9	Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315	
CAS: 67-63-0	Isopropyl Alcohol	10-25%
EINECS: 200-661-7	🚸 Flam. Liq. 2, H225	
Index number: 603-117-00-0	 Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336 	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 3)

Printing date 12.05.2017

Revision: 12.05.2017

Trade name: KEMAPOX CLEANER

(Contd. of page 2)

- · After swallowing: If symptoms persist consult doctor.
- . 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- . 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

. 5.1 Extinguishing media

· Suitable extinguishing agents:

- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- . 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Open and handle receptacle with care.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- . 7.2 Conditions for safe storage, including any incompatibilities
- . Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep container tightly sealed. Store receptacle in a well ventilated area. Protect from heat and direct sunlight.

(Contd. on page 4)

EU

Printing date 12.05.2017

Revision: 12.05.2017

Trade name: KEMAPOX CLEANER

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

. 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

1330-20-7 xylene

IOELV Short-term value: 442 mg/m³, 100 ppm Long-term value: 221 mg/m³, 50 ppm Skin

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eves and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

(Contd. of page 3)

(Contd. on page 5)

Printing date 12.05.2017

Revision: 12.05.2017

Trade name: KEMAPOX CLEANER

(Contd. of page 4)

SECTION 9: Physical and chemica	ıl properties
• 9.1 Information on basic physical and ch	emical properties
· General Information	
· Appearance:	
Form:	Liquid
Colour:	According to product specification
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	
· Flash point:	11 °C
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	425 °C
· Decomposition temperature:	Not determined.
• Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air
	vapour mixtures are possible.
· Explosion limits:	
Lower:	1,1 Vol %
Upper:	12,0 Vol %
· Vapour pressure at 20 °C:	43 hPa
· Density:	$0,84 \ g/cm^3$
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	100,0 %
VOC (EC)	100,00 %
. 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

. 10.1 Reactivity No further relevant information available.

EU

Printing date 12.05.2017

Revision: 12.05.2017

Trade name: KEMAPOX CLEANER

(Contd. of page 5)

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

. 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

. 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

. 11.1 Information on toxicological effects

· Acute toxicity

Harmful if inhaled.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

 Dermal
 LD50
 2593 mg/kg (Rabbit)

 Inhalative
 LC50/4 h
 14,3 mg/l

1330-20-7 xylene

 Oral
 LD50
 4300 mg/kg (Rat)

 Dermal
 LD50
 2000 mg/kg (Rabbit)

 Inhalative
 LC50/4 h
 11 mg/l (ATE)

· Primary irritant effect:

Skin corrosion/irritation

Causes skin irritation.

- Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- . Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- . *Reproductive toxicity Based on available data, the classification criteria are not met.*
- · STOT-single exposure
- May cause drowsiness or dizziness.
- . STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 7)

Printing date 12.05.2017

Revision: 12.05.2017

(Contd. of page 6)

Trade name: KEMAPOX CLEANER

. 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

. vPvB: Not applicable.

. 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

. 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packaging:

. Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number ADR,RID,ADN, IMDG, IATA	UN1993
14.2 UN proper shipping name IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (XYLENES, ISOPROPANO (ISOPROPYL ALCOHOL))
14.3 Transport hazard class(es)	
ADR/RID/ADN	
Class	3 (F1) Flammable liquids.
Label	3
Class	3 Flammable liquids.
Label	3
14.4 Packing group ADR,RID,ADN, IMDG, IATA	11
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Flammable liquids.
Danger code (Kemler):	33
EMS Number:	<i>F-E</i> , <u><i>S-E</i></u>
Stowage Category	В

EU —

Printing date 12.05.2017

Revision: 12.05.2017

Trade name: KEMAPOX CLEANER

Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR/RID/ADN	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· Transport category	2
Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (XYLENI

SECTION 15: Regulatory information

. 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

· Seveso category P5c FLAMMABLE LIQUIDS

- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
- . REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- . 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H312 Harmful in contact with skin.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H336 May cause drowsiness or dizziness.

· Department issuing SDS: R&D DEPARTMENT

 Abbreviations and acronyms: ADR: Acc ord e uropéen sur le transport des marchandises dangereuses par Route (Europe an Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 9)

EU

Printing date 12.05.2017

Revision: 12.05.2017

Trade name: KEMAPOX CLEANER

	(Contd. of page 8)
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Flam. Liq. 2: Flammable liquids – Category 2	
Flam. Liq. 3: Flammable liquids – Category 3	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
	EU