

Declaration of Performance

Kemazim OC

Number of Declaration of Performance:

01 L5026 Kemazim OC

1. Unique identification code of the product-type:
L5026 Kemazim OC
2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):
L5026 Kemazim OC
3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:
Additive for concrete and mortars – chloride-free accelerator, winter supplement for concretes, complies with the requirements of EN 934-2: T7.
4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):
**Kema d.o.o.
Puconci 393
9201 Puconci, Slovenia
Production No.: L5026**
5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):
-
6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:
System 2+
7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:
EN 934-2:2009 + A1:2012, ITC – Certification bureau for construction products, 1139

(name and identification number of the notified body, if relevant)

performed initial inspection of factory and internal control system, continuous surveillance of internal control under system **2+**

(description of the third party tasks as set out in Annex V)

and issued Certificate of Factory Production Control No. 1139-CPD-0008/03

(certificate of constancy of performance, certificate of conformity of the factory production control, test/calculation reports – as relevant)

8. In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

-

(name and identification number of the Technical Assessment Body, if relevant)

issued -

(reference number of the European Technical Assessment)

on the basis of -

(reference number of the European Assessment Document)

performed -

(description of the third party tasks as set out in Annex V)

under system -

and issued -

(certificate of constancy of performance, certificate of conformity of the factory production control, test/calculation reports – as relevant)

9. Declared performance:

Essential characteristics	Performance	Harmonized technical specification
Maximum chloride content:	Max. 0,1 m%	
Maximum alkali content:	Max. 0,05 m%	
Corrosion behaviour:	Contains only the substances according to EN 934-2: 2009 + A1:2012, Annex A1.	
Compressive strength:	At 20 ° C and 24 h: Test mixture \geq 120% of the control mixture. At 20 ° C and 28 days: Test mixture \geq 90% Control mixtures. At 5 ° C and 48 h: Test mixture \geq 130% Control mixtures EN 934-2: 2009 + A1: 2012.	EN 934-2:009+A1:2012
Air content:	Test mixture \leq 2% of the volume fraction of the control mixture, provided that the manufacturer does not declare otherwise. SIST EN 934-2: 2009 + A1: 2012.	
Dangerous substances:	Complies	See SDS

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Director:

Mag. Wolfgang Marcher

Puconci, 12.12.2018